

# Technical data sheet

## EGGER Silenzio EASY SD



### Application area

Underlay material for floating flooring installation of laminate flooring elements (EN 13329)

### Standard data

Product	Silenzio EASY SD		
Material	HFPS-Foam + vapour control layer		
Color	Green/silver		
Type of delivery	Folding panel		
Packaging	15 m <sup>2</sup> / package	21 packages / pallet	
Accreditations /Certificates /Declarations	Building Inspectorate Approval TÜV toxproof, A+ (Émissionsdans l'air intérieur)		

### Material data

Parameter	Specification	Tolerance	Test method
Thickness [mm]	2	± 15%	CEN TS 16354
Length [m]	12.5	+5% / -0%	CEN TS 16354
Width [m]	1.2	+2.5% / -1%	CEN TS 16354
Reaction to fire	Efl	-	EN 13501
Thermoforming [°C]	≤ 70	-	S WN
Water absorption [%]	≤ 1	-	EN 12087
Thermal resistance RA [m <sup>2</sup> K/W]	~ 0,057	-	EN 12667
Water vapor diffusion resistance SD [m]	≥ 100	-	CEN TS 16354

### Technical data concerning CEN TS 16354

Description	Parameter	Value	Recommendations according to the EPLF
Impact Sound Reduction	IS [dB]	≤ 18	≥ 18
Reflected Walking Sound Reduction	RWS	27 % according to IHD -W431	in progress
Resistance to Large Ball	RLB [mm]	≥ 1200	≥ 1200
Compressive Strength	CS [kPa]	≥ 110	≥ 60
Compressive Creep	CC [kPa]	≥ 25	≥ 20
Dynamic Load	DL [cycles]	≥ 250000	≥ 100000
Punctual Conformability	PC [mm]	≤ 1	≥ 0.5

Information: All above mentioned values were determined under laboratory conditions and defined laboratory materials and structures and may with different system flooring components deviate from these test values. For all of they mentioned performance values inaccuracies are possible owing to the testing methods.  
The information given above is based on our current state of knowledge and should be used for information of our product application. This should not be taken to as an assurance of certain quality of our products or their use for specific purposes. Subject to change, legal obligations cannot be derived from the information in this document. Existing commercial protective rights are to be observed.